

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S123	6	((non not un fail\$3) near3 authenticat\$3)) same ((packet) with table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 14:16
S122	1	((non not un fail\$3) near3 authenticat\$3)) same ((packet) near2 table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:49
S121	41	((non not un fail\$3) near3 authenticat\$3)) and ((packet) near2 table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:46
S120	3903	((non not un fail\$3) near3 authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:45
S119	4	((non not un fail\$3) near3 authenticat\$3) with access) same redirect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:45
S118	21	((non not un fail\$3) near3 authenticat\$3) with access) same predetermined	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:43
S101	12	((non not un fail\$3) adj authenticat\$3) with access) same predetermined	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:42
S117	8	(packet with table with destination) same authenticat\$3 same rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:41
S116	41	(packet with table with destination) same authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:41
S115	644	(packet with table with destination) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:41
S114	0	packet adj (table with destination) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:41
S113	0	packet adj (table with destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:41
S112	2	morimoto-shinichi.in. and packet and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:40
S111	10	morimoto-shinichi.in. and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:34
S110	214	morimoto-shinichi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 13:34

S96	7	((non un) adj authenticat\$3) with access) and (base adj station)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:34
S100	6	((non not un fail\$3) adj authenticat\$3) with access) same registration	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 12:52
S108	60	((non not un fail\$3) adj authenticated) same (access)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:43
S107	196	((non not un fail\$3) adj authenticated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:43
S106	0	((non not un fail\$3) adj authenticated) same (access) same redirect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:43
S105	0	((non not un fail\$3) adj authenticated) with access) same redirect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:43
S104	0	((non not un fail\$3) adj authenticated) with access) and (redirect with predetermined)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:43
S103	0	((non not un fail\$3) adj authenticat\$3) with access) and (redirect with predetermined)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:42
S102	3	S100 not S99	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:35
S99	3	((non not un) adj authenticat\$3) with access) same registration	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:35
S98	1	((non not un) adj authenticat\$3) with access) same public	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:34
S97	2	((non not un) adj authenticat\$3) with access) same free	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:23
S95	81	((non un) adj authenticat\$3) with access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:11
S94	303	((non un) adj authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:05
S93	1	("6587684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 08:54
S92	785	@ad<"19981214" and (base adj station) and lan and terminal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 07:41
S91	0	@ad<"19981214" and ((distribut\$3 adj3 table) with packet) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 07:41
S90	23	@ad<"19981214" and ((distribut\$3 adj3 table) with packet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 07:29



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L32	9	("5819178" "6115376" "6236852" "6397056" "6408391" "6532493" "6587684" "6606491" "6873609").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 13:32
L30	22	vlr same hlr same authenticat\$3 same msc same ssd	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 13:32
L31	1	130 and ((black adj list\$3) blacklist\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 12:49
L29	1	vlr same hlr same authenticat\$3 same ((table list database) with hlr) same msc same ssd	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 11:20
L27	0	vlr same hlr same authenticat\$3 same ((table list database) with hlr) same msc same ((look\$3 adj up) lookup look-up search\$3) same ssd	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 11:17
L25	5	vlr same hlr same authenticat\$3 same ((table list database) with hlr) same msc same ((look\$3 adj up) lookup look-up search\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 11:17
L24	3	vlr same hlr same authenticat\$3 same ((table list database) with hlr) same msc same ((look adj up) lookup look-up)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:15
L23	126	vlr same hlr same authenticat\$3 same ((table list database) with hlr) same msc	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:14
L22	194	vlr same hlr same authenticat\$3 same (table list database) same msc	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:10
L21	263	vlr same hlr same authenticat\$3 same (table list database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:10
L20	31	vlr same hlr same authenticat\$3 same table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:10
L19	21	@ad<"20001005" and (709/225.ccls. 709/239.ccls.) and "713".clas. and authenticat\$3 and (table same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:47
L14	45	@ad<"20001005" and (709/225.ccls. 709/239.ccls.) and "713".clas. and authenticat\$3 and table and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:47
L18	1	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) same (table) same (refer\$3 redirect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:46
L17	40	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) same (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:45
L16	2	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) same ((look adj up) lookup look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:45

L15	0	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) with ((look adj up) lookup look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:42
L7	827	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:42
L13	73	@ad<"20001005" and (709/225.ccls. 709/239.ccls.) and "713".clas. and authenticat\$3 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:41
L12	137	@ad<"20001005" and (709/225.ccls. 709/239.ccls.) and "713".clas. and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:40
L11	225	@ad<"20001005" and (709/225.ccls. 709/239.ccls.) and "713".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:40
L10	41	@ad<"20001005" and (((non not un) adj2 authenticated) ((unsuccessful fail\$3) near3 authenticat\$3)) same ((allow\$3 enabl\$3) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:39
L9	38	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) same ((allow\$3 enabl\$3) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:33
L8	464	@ad<"20001005" and (((non not un) adj2 authenticated) ((fail\$3) near3 authenticat\$3)) and ((allow\$3 enabl\$3) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:33
L6	3204	((non not un) adj authenticated) ((fail\$3) near3 authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:31
L5	15	((non not un fail\$3) near3 authenticat\$3)) with access\$3 with even	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:31
L4	606	((non not un fail\$3) near3 authenticat\$3)) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:24
L3	1	((non not un fail\$3) near3 authenticat\$3)) same ((packet) near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 08:24
S1	1	("20020041689").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/08 09:01
S12	23	ICHIKAWA-TAKEO.in. and nippon and packet and base and station	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 12:54
S11	52	ICHIKAWA-TAKEO.in. and nippon	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 12:53

S10	84	ICHIKAWA-TAKEO.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 12:53
S7	1	("6625734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/01 12:51
S6	2	("5228054" "5926070").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 12:43
S5	17	(cdma with mask\$3) and pseudorandom and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 11:20
S4	30	(cdma with mask\$3) and pseudorandom	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 11:10
S3	229	cdma with mask\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 11:10
S2	0	cdma with hop\$4 with mask\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/01 11:09